



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Organization of:

UMT Calibration Laboratory
5421 NW 74th Avenue, Miami, FL 33166

*and hereby declares that the Organization is accredited in accordance with
the recognized International Standard:*

ISO/IEC 17025:2017

Whereby, technical competence has been confirmed for the associated scope supplement, in the fields of:

Environmental Simulation Testing
(As detailed in the supplement)

Accreditation claims for conformity assessment activities shall only be made from the addresses referenced within this certificate and shall apply solely to those activities identified in the related scope. This Accreditation is granted subject to the Accreditation Body rules governing the Accreditation referred to above, and the Organization hereby commits to observing and complying with those rules in their entirety.

For PJLA:

Initial Accreditation Date:

Issue Date:

Expiration Date:

July 13, 2024

June 27, 2025

June 30, 2027

Tracy Szerszen
President

Accreditation No.:

Certificate No.:

112595

L25-479

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

*The validity of this certificate is maintained through ongoing assessments based
on a continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjlabs.com*



Certificate of Accreditation: Supplement

UMT Calibration Laboratory

5421 NW 74th Avenue, Miami, FL 33166
Contact Name: Guillermo Blanco Phone: 1 (800) 222-5771

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Environmental Simulation	Controlled Environments	Non-Viable Particle Counts – 0.5 µm	ISO 14644-1 ISO 14644-3	Particle Counter	F1, F2	O
Environmental Simulation	Controlled Environments	Non-Viable Particle Counts – 1.0 µm	ISO 14644-1 ISO 14644-3	Particle Counter	F1, F2	O
Environmental Simulation	Controlled Environments	Non-Viable Particle Counts – 3.0 µm	ISO 14644-1 ISO 14644-3	Particle Counter	F1, F2	O
Environmental Simulation	Controlled Environments	Non-Viable Particle Counts – 5.0 µm	ISO 14644-1 ISO 14644-3	Particle Counter	F1, F2	O
Environmental Simulation	Controlled Environments	Airflow Volume & Velocity	ISO 14644-3 Section B.2	Air Flow Capture Hood Air Velocity Meter	F1, F2	O
Environmental Simulation	Controlled Environments	Temperature	ISO 14644-3 Section B.5	Temperature Probe	F1, F2	O
Environmental Simulation	Controlled Environments	Humidity	ISO 14644-3 Section B.6	Humidity Probe	F1, F2	O
Environmental Simulation	Controlled Environments	Room Differential	ISO 14644-3 Section B.1	Micromanometer	F1, F2	O
Environmental Simulation	Controlled Environments	Lighting Level	IEST-RP-CC006.3 Section 6.6	Light Meter	F1, F2	O
Environmental Simulation	Controlled Environments	Noise Level	IEST.RP.CC006.3 Section 6.7	Sound Level Meter	F1, F2	O
Environmental Simulation	Controlled Environments	HEPA Filter Leak Testing	ISO 14644-3 Section B.7	Aerosol Photometer Aerosol Generator	F1, F2	O



Certificate of Accreditation: Supplement

UMT Calibration Laboratory

5421 NW 74th Avenue, Miami, FL 33166
Contact Name: Guillermo Blanco Phone: 1 (800) 222-5771

Accreditation is granted to the facility to perform the following conformity assessment activities:

1. Location of activity:

Location

O

Location

Conformity assessment activity is performed onsite at the CABs customer location

2. Flex Code:

- F0- Fixed scope item. No deviations allowed to the line item as identified, except for updating to the most recent version of an accredited standard method after verification.
- F1- Laboratory has the capability to test a new item, material, matrix, or product similar in composition to item, material, matrix, or product identified on the scope
- F2- Laboratory has the capability to introduce the newest revision of an accredited authoritative standard method (with no modifications) identified on the scope
- F3- Laboratory has the capability to introduce a parameter/component/analyte to an accredited test method identified on the scope
- F4- Laboratory has the capability to introduce a new revision of an accredited non-standard method using the same technology or technique identified on the scope
- F5- Laboratory has the capability to introduce a validated method that is equivalent to an accredited method (using same technology or technique) identified on the scope

